

NOTE:

1. Pipe size to be determined based on calculation (min 3000) submitted by applicant and approved by council.
2. Pipe sections are to be bedded on at least 100mm consolidated FCR or approved gravel.
3. Culvert Crossings are to be minimum of 4.88m length.
4. Pipe to be at a grade which allows smooth flow of water along table drain.
5. Asphalt or Concrete surfacing is not required when the road is unsealed.
6. Construction and road reinstatement in conjunction with Issued Asset Permit Policy conditions.

		DRAWN BY: J.G. CHECKED: L.T. DATE: 05.04.13 SD 001												
VEHICLE CROSSING, PIPE CULVERT AND ENDWALLS (Not To Scale)														
<table border="1"> <thead> <tr> <th>REVISION</th> <th>DATE</th> <th>APPROVED</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>15.11.2011</td> <td>C.B.</td> </tr> <tr> <td>2.</td> <td>25.10.2012</td> <td>C.B.</td> </tr> <tr> <td>3.</td> <td>05.04.2013</td> <td>L.T.</td> </tr> </tbody> </table>	REVISION	DATE	APPROVED	1.	15.11.2011	C.B.	2.	25.10.2012	C.B.	3.	05.04.2013	L.T.		
REVISION	DATE	APPROVED												
1.	15.11.2011	C.B.												
2.	25.10.2012	C.B.												
3.	05.04.2013	L.T.												




FIGURE 2: WEST CULVERT WITH DRIVABLE HEADWALL TYPICAL SECTION
NOT TO SCALE




FIGURE 3: EAST CULVERT WITH DRIVABLE HEADWALL TYPICAL SECTION
NOT TO SCALE

ISSUE FOR TENDER

	MT GISBORNE ROAD - GISBORNE ROAD REHABILITATION BETWEEN 239 to 359 MT GISBORNE ROAD TYPICAL SECTIONS	Drawing No: MRS-C421 Sheet: 3 of 56 Date: A.H.D. Author: A.H.D. Checker: A.H.D. Designer: A.H.D.	Scale: NTS @ A3 Vertical: A.H.D. Horizontal: A.H.D.
	Survey By: PR BUNYAVE P/L Survey Date: December 2023 Designed By: AME Design Date: November 2023 Checked By: AME Check Date: October 2024 Approved By: AME Date: / / Design Coordinator: City Improvement	Approved: [Signature] Date: / / Design Coordinator: City Improvement	
	Amendments: A ISSUE FOR TENDER B ISSUE FOR TENDER C ISSUE FOR TENDER	Date: 22/08/24 AME 02/09/24 AME 08/10/24 AME	Approved: AME AME AME
BEWARE OF UNDERGROUND SERVICES This station and location of underground services are shown for information only and do not constitute a guarantee of their presence and depth.			

